




1 WEST ELEVATION
1/8" = 1'-0"



2 SOUTH ELEVATION
1/8" = 1'-0"



3 EAST ELEVATION
1/8" = 1'-0"




4 NORTH ELEVATION
1/8" = 1'-0"

GENERAL ELEVATION NOTES:
1. SEE A2.4 FOR ASSEMBLIES.
2. SEE A2.5 AND A2.6 FOR DOOR & WINDOW SCHEDULES.
3. THE FOLLOWING REQUIRE A CERTIFICATE OF APPROVAL ISSUED BY THE CITY OF SEATTLE'S LANDMARKS PRESERVATION BOARD PURSUANT TO SMC 25.12 TO MAKE ALTERATIONS TO THE FOLLOWING:
a. THE EXTERIOR OF THE BUILDING AND ITS SITE, INCLUDING ITS PAINTING, BRICKWORK, STRUCTURE AND DETAILS, OTHER THAN REPAIRS IN KIND
b. THOSE PARTS OF THE INTERIOR, WHICH IF CHANGED WOULD AFFECT THE EXTERIOR APPEARANCE OF THE BUILDING.

KEYNOTE LEGEND

MARK	KEYNOTE TEXT
3.23	INSTALL CEMENTITIOUS PATCH @ (E) CONC PLINTH WHERE CONDUITS WERE REMOVED
4.4	(E) BRICK CHIMNEY, INTERNALLY BRACE PER STRUCTURAL
5.19	METAL GUARDRAIL
7.3	METAL DOWNSPOUT AND CONDUCTOR, MATCH (E)
7.4	ROOF HATCH
7.7	FEATHERED-IN BRICK INFILL AT REMOVED LOUVERS, MATCH (E) ADJACENT BRICK STYLE, COURSE AND MORTAR
7.8	PARAPET
7.9	REPLACE (E) BACKER ROD & SEALANT W/IN VERTICAL EXPANSION JOINT
9.4	(E) MTL RAILING, PAINT
9.5	(E) MTL LADDER, PAINT
9.18	PREP & PAINT (E) WD FASCIA BOARD
23.4	MECH EQUIPMENT
23.5	DOAS UNIT, REF. MECH
23.6	EXHAUST, REF. MECH
26.1	LIGHT FIXTURE PER ELEC
26.4	EMERGENCY GENERATOR PER ELEC
D27	DEMO (E) EXTERIOR LIGHT FIXTURE



BYRD BARR
PLACE
RENOVATION

CA SET

722 18TH AVE.
SEATTLE, WA 98122

Drawn by:	AC
Checked:	AH
Date:	06.23.2021
Scale:	As indicated
Revisions:	Remarks
No. Date	Landmarks Review
41 12/15/21	

EXTERIOR
ELEVATIONS
A3.0


Item #1: Historic Light Fixtures

Existing Condition, West Facade
(no original fixtures remaining)




Item #1: Historic Light Fixtures

Fire Station #23 Original Drawings,
-West elevation



Fire Station #23 Original Drawings -Details

Fire Station #23 Original Drawings -Details



21-1108 BBP_L29 Fixture_SHKS Drawings

Item #1: Historic Light Fixtures

Proposed fixture design

Designed in accordance with *The Secretary of the Interior's Standards for the Treatment of Historic Properties*


Section:
Rehabilitation; Design for the Replacement of Missing Historic Fixtures

FINISH: APPLIED METAL PATINA COATING;
COORDINATE FINAL SELECTION WITH
ARCHITECT (NOTE: UNDERSIDE OF METAL
SHADE COVER TO REMAIN UNCOATED)

[See attached image sample](#)

VERIFY REQUIRED LENGTH
FOR MOUNTING PIPE IN FIELD

AXONOMETRIC





**Item #2: Gas Fireplace Insert
Direct Venting**



6" dia direct vent through
masonry exterior wall
(with 12x12" vent cap,
Regency Astrocap). Est.
3'-6" ABV exterior grade